

NIH: Patient-Reported Outcomes Measurement Information System (PROMIS®)

Ron D. Hays

Functional Vision and Visual Function

November 10, 2016, 8:55-9:15am



Disclosures

- Professor, UCLA Department of Medicine, Division of General Internal Medicine and Health Services Research (drhays@ucla.edu)
- Research funding from NIH for PROMIS and Patient-Centered Assessment Resource (PCAR)
- Collaborator on prior vision-related projects with NEI, FDA, and Allergan





PROMIS

Self-report measures that assess physical, mental, and social health in adults and children.

Can be used with the general population and with individuals living with chronic conditions

T-score metric for U.S. general population
(Mean = 50, SD = 10)



NeuroQoL

ASCQ-Me™
Adult Sickle Cell Quality of Life Measurement Information System



HealthMeasures
TRANSFORMING HOW HEALTH IS MEASURED



PROMIS® Adult Self-Reported Health

Global Health

Physical Health

Physical Function
Pain Intensity
Pain Interference
Fatigue
Sleep Disturbance

PROMIS Profile
Domains

Mental Health

Depression
Anxiety

Social Health

Ability to
Participate in Social
Roles & Activities

PROMIS Additional
Domains

Pain Behavior
Pain Quality
Sleep-related
Impairment
Sexual Function
Gastro-Intestinal
Symptoms
Dyspnea

Anger
Cognitive Function
Alcohol Use,
Consequences, &
Expectancies
Smoking
Substance Use
Psychosocial Illness
Impact
Self-efficacy

Satisfaction with
Social Roles &
Activities
Social Support
Social Isolation
Companionship

10/7/2016





NeuroQoL

ASCQ-Me™
Adult Sickle Cell Quality of Life Measurement Information System




HealthMeasures
TRANSFORMING HOW HEALTH IS MEASURED

Interpreting PROMIS T-Scores



PROMIS Fatigue Across Five Clinical Conditions



Content can be expanded to be condition-specific: Pain Interference “Plus” Items

Existing PROMIS items (8)

- How much did pain interfere with
 - your enjoyment of life?
 - your close personal relationships?
 - your day-to-day activities?
 - your ability to work (include work at home)?
 - your ability to participate in social activities?
 - your ability to remember things?
- How irritable did you feel because of pain?
- How often did pain prevent you from walking more than 1 mile?

New condition-specific “gap” items (5)

- How much did knee pain
 - limit your daily activities?
 - interfere with your walking?
 - interfere with going up stairs?
 - interfere with going down stairs?
- How often did knee pain make you feel depressed?

Administration Options




- Paper (short forms and profiles only)
- Computer (e.g., Assessment Center, REDCap)
- App (e.g., PROMIS iPad app)



PROMIS[®] Profile Short Forms (v2)

(29-43-57 items)



(+ pain intensity)




HealthMeasures
TRANSFORMING HOW HEALTH IS MEASURED


Computer Adaptive Tests

Question #1


high
physical
function



Question #2



Question #3



Questionnaire
with a high
precision -
AND a
wide range



High PF

Low PF

```


New Item
New Item
PFC33
New Item New Item
New Item New Item
PFC7 New Item New Item
PFA39
PFA1 PFB51 PFB7 New Item
PFA19 New Item
PFC35 New Item
PFC12 PFC13 New Item
PFA33 PFA4 PFB5
PFA13 PFB24 PFB9
PFA25 PFB44 PFB8 PFC36
PFA11 PFA41 PFA42 PFC10 PFC32
PFA10 PFA3 PFA5 PFC40
PFA14 PFA21 PFA23 PFA7 PFB40 PFB42 PFB50 PFC20 PFC34 PFC38
PFA8 PFB1 PFB28 PFB49 PFC37
PFA18 PFA31 PFA34 PFC6
PFA17 PFA29 PFB14 PFB39 PFC39 PFC41 PFC54
PFA12 PFA28 PFA32 PFA53 PFA56 PFB10 PFB12 PFB3 PFB32 PFB34 PFB56
PFA15 PFA16 PFA49 PFA52 PFA9 PFB11 PFB13
PFA20 PFA22 PFA38 PFA45 PFA47 PFB20 PFB21 PFB27 PFB54 PFC29 PFC43 PFC52
PFA30 PFA37 PFA44 PFA54 PFB17 PFB23 PFB25 PFB36 PFC31 PFC46 PFC56
PFA35 PFA40 PFA43 PFA48 PFA55 PFA6 PFB15 PFB26 PFB30 PFB33 PFB41 PFC45
PFB37 PFB43 PFC47 PFC49
PFA36 PFA51 PFB22 PFB29 PFB48 PFC51 PFC53
PFB16 PFB18 PFB19 PFB31
PFA50


```



HealthMeasures
TRANSFORMING HOW HEALTH IS MEASURED

Test Information Functions: Separate and Combined





Questions?

