

## References

---

- Aaronson, N. K., Acquadro, C., Alonso, J., Apolone, G., Bucquet, D., Bullinger, M., Bungay, K., Fukuhara, S., Gandek, B., Keller, S., Razavi, R., Sanson-Fisher, M., Sullivan, S., Wood-Dauphinee, S., Wagner, A., & Ware, J. E., Jr. (1992). International quality of life assessment (IQOLA) project. *Quality of Life Research, 1*(5), 349-351.
- Andresen, E. M., Bowley, N., Rothenberg, B. M., Panzer, R., & Katz, P. (1996). Test-retest performance of a mailed version of the Medical Outcomes Study 36-Item Short-Form Health Survey among older adults. *Medical Care, 34*(12), 1165-1170.
- Barr, J. T., & Schumacher, G. E. (1995). A teaching strategy to incorporate patient-centered outcomes assessment in health professional curricula: The class-generated patient profile. *Journal of Allied Health, 24*(1), 65-78.
- Beck, A. T., & Steer, R. A. (1988). *Beck Hopelessness Scale: Manual*. San Antonio, TX: The Psychological Corporation.
- Beck, A. T., & Steer, R. A. (1990). *Beck Anxiety Inventory: Manual*. San Antonio, TX: The Psychological Corporation.
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). *Beck Depression Inventory: Manual* (2nd ed.). San Antonio, TX: The Psychological Corporation.
- Brazier, J. E., Harper, R., Jones, N. M., O'Cathain, A., Thomas, K. J., Usherwood, T., & Westlake, L. (1992). Validating the SF-36 health survey questionnaire: New outcome measure for primary care. *British Medical Journal, 305*, 160-164.
- Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika, 16*(3), 297-334.
- Davies, A. R., & Ware, J. E., Jr. (1981). *Measuring health perceptions in the health insurance experiment* (Publication No. R-2711-HHS). Santa Monica, CA: The RAND Corporation.
- Derogatis, L. R. (1993). *Brief Symptom Inventory: Administration, scoring, and procedures manual*. Minneapolis, MN: National Computer Systems.
- Dexter, P. R., Stump, T. E., Tierney, W. M., & Wolinsky, F. D. (1996). The psychometric properties of the SF-36 health survey among older adults in a clinical setting. *Journal of Clinical Geropsychology, 2*(3), 225-237.
- Eisen, S. V., Dill, D. L., & Grob, M. C. (1994). Reliability and validity of a brief patient-report instrument for psychiatric outcome evaluation. *Hospital and Community Psychiatry, 45*(3), 242-247.

- Fowler, F. J., Jr., Wennberg, J. E., Timothy, R. P., Barry, M. J., Mulley, A. G., Jr., & Hanley, D. (1988). Symptom status and quality of life following prostatectomy. *Journal of the American Medical Association*, 259(20), 3018–3022.
- Ganz, P. A., Day, R., Ware, J. E., Jr., Redmond, C., & Fisher, B. (1995). Base-line quality-of-life assessment in the National Surgical Adjuvant Breast and Bowel Project Breast Cancer Prevention Trial. *Journal of the National Cancer Institute*, 87(18), 1372–1382.
- Garratt, A. M., Ruta, D. A., Abdalla, M. I., & Russell, I. T. (1996). Responsiveness of the SF-36 and a condition-specific measure of health for patients with varicose veins. *Quality of Life Research*, 5(2), 223–234.
- Gorsuch, R. L. (1983). *Factor analysis* (2nd ed.). Hillsdale, NJ: Erlbaum.
- Gorsuch, R. L. (1991). *UniMult guide for univariate and multivariate data analysis*. Altadena, CA: UniMult.
- Guilford, J. P., & Fruchter, B. (1978). *Fundamental statistics in psychology and education* (6th ed.). New York: McGraw-Hill.
- Haley, S. M., McHorney, C. A., & Ware, J. E., Jr. (1994). Evaluation of the MOS SF-36 Physical Functioning Scale (PF-10): I. Unidimensionality and reproducibility of the Rasch Item Scale. *Journal of Clinical Epidemiology*, 47(6), 671–684.
- Hambleton, R. K., & Swaminathan, H. (1985). *Item response theory: Principles and applications*. Boston: Kluwer.
- Hambleton, R. K., Swaminathan, H., & Rogers, H. J. (1991). *Fundamentals of item response theory*. Newbury Park, CA: Sage.
- Harris, W. H. (1969). Traumatic arthritis of the hip after dislocation and acetabular fractures: Treatment by mold arthroplasty: An end-result study using a new method of result evaluation. *Journal of Bone and Joint Surgery*, 51(4), 737–755.
- Hays, R. D. (1998). Item response theory models. In M. J. Staquet, R. D. Hays, & P. M. Fayers (Eds.), *Quality of life assessment in clinical trials: Methods and practice* (pp. 183–190). Oxford: Oxford University Press.
- Hays, R. D., & Hayashi, T. (1990). Beyond internal consistency reliability: Rationale and user's guide for Multitrait Analysis Program on the microcomputer. *Behavior Research Methods, Instruments, & Computers*, 22(2), 167–175.
- Hays, R. D., Kallich, J. D., Mapes, D. L., Coons, S. J., & Carter, W. B. (1994). Development of the Kidney Disease Quality of Life (KDQOL) Instrument. *Quality of Life Research*, 3(5), 329–338.
- Hays, R. D., Marshall, G. N., Wang, E. Y. I., & Sherbourne, C. D. (1994). Four-year cross-lagged associations between physical and mental health in the medical outcomes study. *Journal of Consulting and Clinical Psychology*, 62(3), 441–449.

- Hays, R. D., Sherbourne, C. D., & Mazel, R. M. (1993). The RAND 36-Item Health Survey 1.0. *Health Economics*, 2, 217-227.
- Hays, R. D., Sherbourne, C. D., & Mazel, R. M. (1995). *User's manual for the Medical Outcomes Study (MOS) core measures of health-related quality of life*. Santa Monica, CA: The RAND Corporation.
- Hays, R. D., Wells, K. B., Sherbourne, C. D., Rogers, W., & Spritzer, K. (1995). Functioning and well-being outcomes of patients with depression compared with chronic general medical illnesses. *Archives of General Psychiatry*, 52(1), 11-19.
- Hill, S., Harries, U., & Popay, J. (1996). Is the short form 36 (SF-36) suitable for routine health outcomes assessment in health care for older people? Evidence from preliminary work in community based health services in England. *Journal of Epidemiology and Community Health*, 50(1), 94-98.
- Insall, J. N., Dorr, L. D., Scott, R. D., & Scott, W. N. (1989). Rationale of the Knee Society clinical rating system. *Clinical Orthopaedics and Related Research*, 248, 13-14.
- Jacobson, N. S., Follette, W. C., & Revenstorf, D. (1984). Psychotherapy outcome research: Methods for reporting variability and evaluating clinical significance. *Behavior Therapy*, 15, 336-352.
- Jacobson, N. S., & Truax, P. (1991). Clinical significance: A statistical approach to defining meaningful change in psychotherapy research. *Journal of Consulting and Clinical Psychology*, 59(1), 12-19.
- Kantz, M. E., Harris, W. J., Levitsky, K., Ware, J. E., Jr., & Davies, A. R. (1992). Methods for assessing condition-specific and generic functional status outcomes after total knee replacement. *Medical Care*, 30(5, Suppl.), MS240-MS252.
- Keller, S. D., Ware, J. E., Jr., & Gandek, B. (1995). Equivalence of translations of response choices widely used in health questionnaire: Comparison of results from nine countries in the IQOLA project. *Quality of Life Research*, 4, 445.
- Kurtin, P. S., Davies, A. R., Meyer, K. B., DeGiacomo, J. M., & Kantz, M. E. (1992). Patient-based health status measures in outpatient dialysis. Early experiences in developing an outcomes assessment program. *Medical Care*, 30(5, Suppl.), MS136-MS149.
- Lansky, D., Butler, J. B., & Waller, F. T. (1992). Using health status measures in the hospital setting: From acute care to "outcomes management." *Medical Care*, 30(5, Suppl.), MS57-MS73.
- Likert, R. (1932). A technique for the measurement of attitudes. *Archives of Psychology*, 140, 5-55.
- Masters, G. N. (1982). A Rasch model for partial credit scoring. *Psychometrika*, 47, 149-174.

- McHorney, C. A., Haley, S. M., & Ware, J. E., Jr. (1997). Evaluation of the MOS SF-36 Physical Functioning Scale (PF-10): II. Comparison of relative precision using Likert and Rasch scoring methods. *Journal of Clinical Epidemiology*, 50(4), 451-461.
- McHorney, C. A., Kosinski, M., & Ware, J. E., Jr. (1994). Comparisons of the costs and quality of norms for the SF-36 health survey collected by mail versus telephone interview: Results from a national survey. *Medical Care*, 32(6), 551-567.
- McHorney, C. A., & Tarlov, A. R. (1995). Individual-patient monitoring in clinical practice: Are available health status surveys adequate? *Quality of Life Research*, 4(4), 293-307.
- McHorney, C. A., Ware, J. E., Jr., Lu, J. F. R., & Sherbourne, C. D. (1994). The MOS 36-Item Short-Form Health Survey (SF-36): III. Tests of data quality, scaling assumptions, and reliability across diverse patient groups. *Medical Care*, 32(1), 40-66.
- McHorney, C. A., Ware, J. E., Jr., & Raczek, A. E. (1993). The MOS 36-Item Short-Form Health Survey (SF-36): II. Psychometric and clinical tests of validity in measuring physical and mental health constructs. *Medical Care*, 31(3), 247-263.
- McHorney, C. A., Ware, J. E., Jr., Rogers, W., Raczek, A. E., & Lu, J. F. R. (1992). The validity and relative precision of MOS Short- and Long-Form Health Status Scales and Dartmouth COOP Charts: Results from the Medical Outcomes Study. *Medical Care*, 30(5, Suppl.), MS253-MS265.
- Mosier, C. I. (1943). On the reliability of a weighted composite. *Psychometrika*, 8, 161-168.
- Nelson, D. C., Hartman, E., Ojemann, P. G., & Wilcox, M. (1995). Outcomes measurement and management with a large Medicaid population: A public-private collaboration. *Behavioral Healthcare Tomorrow*, 4(3), 31-37.
- Nunnally, J. C. (1978). *Psychometric theory* (2nd ed.). New York: McGraw-Hill.
- Patrick, D. L., & Deyo, R. A. (1989). Generic and disease-specific measures in assessing health status and quality of life. *Medical Care*, 27(3, Suppl.), S217-S232.
- The Psychological Corporation. (1998). *OPTAIO Provider's Desktop* (Version 1.3) [Computer software]. San Antonio, TX: Author.
- Rasch, G. (1960). *Probabilistic models for some intelligence and attainment tests*. Copenhagen: Danish Institute for Educational Research.
- Rasch, G. (1966). An item analysis which takes individual differences into account. *British Journal of Mathematical and Statistical Psychology*, 19, 49-57.
- Rummel, R. J. (1970). *Applied factor analysis*. Evanston, IL: Northwestern University Press.

- Shadbolt, B., McCallum, J., & Singh, M. (1997). Health outcomes by self-report: Validity of the SF-36 among Australian hospital patients. *Quality of Life Research*, 6(4), 343-352.
- Sherbourne, C. D., Wells, K. B., Hays, R. D., Rogers, W., Burnam, M. A., & Judd, L. L. (1994). Subthreshold depression and depressive disorder: Clinical characteristics of general medical and mental health specialty outpatients. *American Journal of Psychiatry*, 151(12), 1777-1784.
- Sherbourne, C. D., Wells, K. B., & Judd, L. L. (1996). Functioning and well-being of patients with panic disorder. *American Journal of Psychiatry*, 153(2), 213-218.
- Shiely, J-C., Bayliss, M. S., Keller, S. D., Tsai, C., & Ware, J. E., Jr. (1996). *SF-36 Health Survey Annotated Bibliography: First Edition (1988-1995)*. Boston: The Health Institute, New England Medical Center.
- Solomon, G. D. (1997). Evolution of the measurement of quality of life in migraine. *Neurology*, 48(3, Suppl. 3), S10-S15.
- Stewart, A. L., Hays, R. D., & Ware, J. E., Jr. (1988). The MOS Short-Form General Health Survey: Reliability and validity in a patient population. *Medical Care*, 26(7), 724-735.
- Stewart, A. L., Sherbourne, C. D., Hays, R. D., Wells, K. B., Nelson, E. C., Kamberg, C. J., Rogers, W. H., Berry, S. H., & Ware, J. E., Jr. (1992). Summary and discussion of MOS measures. In A. L. Stewart & J. E. Ware, Jr. (Eds.), *Measuring functioning and well-being: The Medical Outcomes Study approach* (pp. 345-371). Durham, NC: Duke University Press.
- Tarlov, A. R., Ware, J. E., Jr., Greenfield, S., Nelson, E. C., Perrin, E., & Zubkoff, M. (1989). The Medical Outcomes Study: An application of methods for monitoring the results of medical care. *Journal of the American Medical Association*, 262(7), 925-930.
- Titler, M. G., & Reiter, R. C. (1994). Outcomes measurement in clinical practice. *MEDSURG Nursing*, 3(5), 395-398.
- U.S. Bureau of the Census. (1993). *Current Population Survey, March 1993, on CD-ROM* [CD-ROM]. Washington, DC: U.S. Bureau of the Census (Producer/Distributor).
- U.S. Bureau of the Census. (1995). *Statistical Abstract of the United States 1995*. Washington, DC: Author.
- Vickrey, B. G., Hays, R. D., Rausch, R., Sutherling, W. W., Engel, J., Jr., & Brook, R. H. (1994). Quality of life of epilepsy surgery patients as compared with outpatients with hypertension, diabetes, heart disease, and/or depressive symptoms. *Epilepsia*, 35(3), 597-607.

- Wagner, A. K., Cynn, D. J., Ehrenberg, B. L., Tran, T. A., Bungay, K. M., & Rogers, W. H. (1995). The impact of routine health status measurement on aspects of epilepsy patients' care. *Epilepsia*, 36(Suppl. 4), 96.
- Wagner, A. K., Ehrenberg, B. L., Tran, T. A., Bungay, K. M., Cynn, D. J., & Rogers, W. H. (1997). Patient-based health status measurement in clinical practice: A study of its impact on epilepsy patients' care. *Quality of Life Research*, 6(4), 329–341.
- Ware, J. E., Jr., Gandek, B., & the IQOLA Project Group. (1994). The SF-36 Health Survey: Development and use in mental health research and the IQOLA Project. *International Journal of Mental Health*, 23(2), 49–73.
- Ware, J. E., Jr., Kosinski, M., Bayliss, M. S., McHorney, C. A., Rogers, W. H., & Raczek, A. (1995). Comparison of methods for the scoring and statistical analysis of SF-36 health profile and summary measures: Summary of results from the medical outcomes study. *Medical Care*, 33(4), AS264–AS279.
- Ware, J. E., Jr., Kosinski, M., & Keller, S. D. (1994). *SF-36 physical and mental health summary scales: A user's manual*. Boston: The Health Institute.
- Ware, J. E., Jr., Kosinski, M., & Keller, S. D. (1995). *SF-12: How to score the SF-12 physical and mental health summary scales* (2nd ed.). Boston: The Health Institute.
- Ware, J. E., Jr., Kosinski, M., & Keller, S. D. (1996). A 12-item short-form health survey: Construction of scales and preliminary tests of reliability and validity. *Medical Care*, 34(3), 220–233.
- Ware, J. E., Jr., Nelson, E. C., Sherbourne, C. D., & Stewart, A. L. (1992). Preliminary tests of a 6-item general health survey: A patient application. In A. L. Stewart & J. E. Ware, Jr. (Eds.), *Measuring functioning and well-being: The Medical Outcomes Study approach* (pp. 291–308). Durham, NC: Duke University Press.
- Ware, J. E., Jr., & Sherbourne, C. D. (1992). The MOS 36-Item Short-Form Health Survey (SF-36): I. Conceptual framework and item selection. *Medical Care*, 30(6), 473–483.
- Ware, J. E., Jr., Sherbourne, C. D., & Davies, A. R. (1992). Developing and testing the MOS 20-item short-form health survey: A general population application. In A. L. Stewart & J. E. Ware, Jr. (Eds.), *Measuring functioning and well-being: The Medical Outcomes Study approach* (pp. 277–290). Durham, NC: Duke University Press.
- Ware, J. E., Jr., Snow, K. K., Kosinski, M., & Gandek, B. (1993). *SF-36 Health Survey: Manual and interpretation guide*. Boston: The Health Institute.
- Weissman, M. M., & Bothwell, S. (1976). Assessment of social adjustment by patient self-report. *Archives of General Psychiatry*, 33(9), 1111–1115.